# Implementation date and additional rounds 2006, 2007, 2008, 2009, 2010, 2011, 2012

and 2013

#### Tobacco products package coverage and location

Graphic health warnings are required to cover the bottom 50% of the front and 50% of the back of the package. Overall, 50% of the package space is allocated to health warnings.

#### Misleading information

Misleading descriptors such as 'light,' 'smooth,' 'mild,' 'low in tar, nicotine, carbon monoxide,' are prohibited from appearing on packages.

#### **Constituents and emissions information**

A single message is required to display qualitative (descriptive) constituents and emissions information on one lateral side.

#### Special notes

Legislation applies to all tobacco products (combusted and smokeless) without specifying the content of the warnings for each type of tobacco.

#### Rotation schedule, history, language, and help for smoking cessation


Chile has produced eight rounds of graphic health warning labels:

Round (Year)	Number	Size (%) [average— front/back]
R1 (2006)	1 pair	50 — 50/50
R2 (2007)	1 pair	50 — 50/50
R3 (2008)	1 pair	50 — 50/50
R4 (2009)	1 pair	50 — 50/50
R5 (2010)	1 pair	50 — 50/50
R6 (2011)	1 pair	50 — 50/50
R7 (2012)	1 pair	50 — 50/50
R8 (2013)	5 pairs	50 — 50/50

Warnings within each round were required to be rotated for a period of 12 months, and since 2013 for 24 months. Warning texts must be in Spanish, the principal language of the country.

## WARNINGS: 2013







CHILE AMERICAS REGION

### **WARNINGS: 2013**









# WARNINGS: 2012





## WARNINGS: 2011





# **CHILE**

WARNINGS: 2010





## WARNINGS: 2009





# **WARNINGS: 2008**





# WARNINGS: 2007





## WARNINGS: 2006





**AMERICAS REGION**